

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE	PAGE OF PAGES	
			J	1	3
2. AMENDMENT/MODIFICATION NO. 0005	3. EFFECTIVE DATE 08-Jul-2004	4. REQUISITION/PURCHASE REQ. NO. W16ROE-4068-6489		5. PROJECT NO.(If applicable)	
6. ISSUED BY USA ENGINEER DISTRICT, NEW YORK ATTN:CENAN-CT ROOM 1843 26 FEDERAL PLAZA NEW YORK NY 10278	CODE W912DS	7. ADMINISTERED BY (If other than item 6) <b>See Item 6</b>		CODE	
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)			X	9A. AMENDMENT OF SOLICITATION NO. W912DS-04-R-0010	
			X	9B. DATED (SEE ITEM 11) 03-Jun-2004	
				10A. MOD. OF CONTRACT/ORDER NO.	
				10B. DATED (SEE ITEM 13)	
CODE	FACILITY CODE		11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS		
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.					
12. ACCOUNTING AND APPROPRIATION DATA (If required)					
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.					
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.					
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).					
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:					
D. OTHER (Specify type of modification and authority)					
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.					
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) The purpose of this amendment is to:  1) Incorporate changes to the specifications.  The proposal due date remains unchanged, 19 July 2004 at 2:00pm local time. All other terms and conditions remain unchanged as a result of this amendment.  NOTE: Bidders must acknowledge receipt of this amendment by the date specified in the solicitation (or as amended) by one of the following methods: In the space provided on the SF 1442, by separate letter, or by telegram, or by signing the block 15 below. FAILURE TO ACKNOWLEDGE AMENDMENTS BY THE DATE AND TIME SPECIFIED MAY RESULT IN REJECTION OF YOUR BID IN ACCORDANCE WITH THE LATE BID, LATE MODIFICATIONS OF BIDS OR LATE WITHDRAWAL OF BIDS (FAR 14.304)  Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.					
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
			TEL: _____ EMAIL: _____		
15B. CONTRACTOR/OFFEROR  (Signature of person authorized to sign)	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA  BY _____ (Signature of Contracting Officer)		16C. DATE SIGNED 08-Jul-2004	

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

**SUMMARY OF CHANGES**

SECTION SF 30 - BLOCK 14 CONTINUATION PAGE

The following have been added by full text:

AMENDMENT 5

**Standard Form SF1442, Section 10 Add:** “An additional Site Visit is scheduled for 1:30 PM EST, to start from Bldg. T-4884 on 13 July 2004. Contractors shall provide completed Contractor Gate Access Forms by close of business 9 July 2004 in order to coordinate access to the installation. Forms can be faxed to (315) 772-1566 to the attention of Phillip Favret.”

**Standard Form SF1442, Section 10 Add:** “Per Amendment No. 0003, Microstation drawing are provided.”

**Section 00110, 3.3 Factor 2 – Proposed Engineering Systems, last bullet – Exterior Renderings, Change Sentence to read:** “Renderings should be 2’ x 3’, have a laminated or other protective cover, and be submitted via a drawing tube.” (Delete reference to foam board.)

**Add Section 01010, 3.17.4.15.14:** “Power source is one circuit, three phase, 13.2Kv, overhead power. It is located at an approximately 90 degree angle, approximately 300 feet from the proposed location of the new water tower. It is also at an approximately 90 degree angle, approximately 350 feet from the proposed location of the new water treatment plant. Line approximately parallels Well Road.”

**Section 01010, 6.4.4.1 g Delete section. Replace with:** “c. Earthquake Load (also in accordance with TI 809-4):

- i. Seismic Use Group: I
- ii. Site Classification: D
- iii. Seismic Acceleration:  $S_1 = 0.099$   
 $S_s = 0.326$

**Add Section. Section 01010, 8.5.7.6 Building Controls:** All new devices for this building shall be connected to the building’s existing Johnson Controls DDC system.”

**Section 01010, 8.6.2 Delete first sentence. Replace with:** “The Contractor shall provide a Direct Digital Control (DDC) System for all buildings in this contract with the exception of the Hangar COF’s.”

**Section 01010, 10.5.9 Delete section. Replace with:** “10.5.9 The three existing Company Operations Facility buildings have 480 volt, 3 phase services and are served by floor mounted switchboards. It has been determined that the switchboard in each have sufficient capacity to serve the new electrical loads in the addition. However, the switchboards do not have adequate spare spaces to add circuit breakers to feed new distribution panels in the additions. New

switchboard distribution sections will be required to accommodate the new loads. All existing feeders shall also be reconnected to new section. Provide all necessary distribution and lighting/appliance panelboards and step-down transformers, and associated feeders necessary to serve all loads for the additions.”

**Section 01010, 10.5.10 Delete section. Replace with:** “10.5.10 The addition of new doorways, pass-through window, etc. in the hangar bays will require limited relocation of existing electrical gear, raceways, and associated equipment. Coordinate the proposed location of all relocated items with the Contracting Officer prior to disconnection.”

**Section 01010, 11.12.2.7 Change last sentence to read:** “Minimum of five (5) floor-mounted utility sinks.”

(End of Summary of Changes)